

# IPA MODEL M6X15 PERFORATED SCREEN LIST

\*FITZPATRICK EQUIVALENT **DAS06**

## ROUND HOLE SCREENS

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z20-7012	.012	.30	8%	26	1534-9004
2Z20-7020	.020	.51	30%	28	1532-0020
2Z20-7024	.024	.61	24%	26	1532-0024
2Z20-7027	.027	.69	23%	26	1532-0027
2Z20-7033	.033	.84	29%	24	1532-0033
2Z20-7038	.038	.96	45%	26	1532-0038
2Z20-7040	.040	1.02	30%	22	1532-0040
2Z20-7050	.050	1.27	33%	22	1532-0050
<i>Above Screens mounted on 18 gauge, 18 hole backing frame</i>					

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z20-7062	.062	1.57	41%	18	1531-0062
2Z20-7065	.065	1.65	26%	18	1531-0065
2Z20-7075	.075	1.90	51%	18	1531-0075
2Z20-7079	.079	2.00	30%	18	1531-0079
2Z20-7093	.093	2.36	33%	18	1531-0093
2Z20-7109	.109	2.74	45%	18	1531-0109
2Z20-7125	.125	3.18	40%	18	1531-0125
2Z20-7156	.156	3.96	46%	18	1531-0156
2Z20-7187	.187	4.76	51%	18	1531-0187
2Z20-7218	.218	5.54	45%	18	1531-0218
2Z20-7250	.250	6.35	48%	18	1531-0250
2Z20-7312	.312	7.92	47%	18	1531-0312
2Z20-7375	.375	9.52	51%	18	1531-0375
2Z20-7500	.500	12.70	47%	18	1531-0500
2Z20-7625	.625	15.88	47%	18	1531-0625
2Z20-7750	.750	19.05	51%	18	1531-0750
2Z20-7875	.875	22.23	62%	18	1531-0875
2Z20-7876	1.00	25.40	58%	18	1531-1000
<i>Above screens DO NOT have backing frames</i>					

## SQUARE HOLE SCREENS

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z21-7200	.200	5.08	64%	18	1533-0200
2Z21-7250	.250	6.35	45%	18	1533-0250
2Z21-7312	.312	7.92	51%	18	1533-0312
2Z21-7375	.375	9.52	56%	18	1533-0375
2Z21-7437	.437	11.10	64%	18	1533-0437
2Z21-7500	.500	12.70	53%	18	1533-0500
2Z21-7625	.625	15.88	59%	18	1533-0625
2Z21-7687	.687	17.45	54%	18	1533-0687
2Z21-7750	.750	19.05	57%	18	1533-0775
2Z21-7875	.875	22.23	60%	18	1533-0875
2Z21-7876	1.000	25.40	64%	18	1533-1000
<i>Above screens DO NOT have backing frames</i>					

# IPA MODEL M8X18 PERFORATED SCREEN LIST

\*FITZPATRICK EQUIVALENT FASO8

## ROUND HOLE SCREENS

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z20-2020	.020	.51	30%	28	1612-0020
2Z20-2024	.024	.61	24%	26	1612-0024
2Z20-2027	.027	.69	23%	26	1612-0027
2Z20-2033	.033	.84	29%	24	1612-0033
2Z20-2038	.038	.96	45%	26	1612-0038
2Z20-2040	.040	1.02	30%	22	1612-0040
2Z20-2050	.050	1.27	33%	22	1612-0050
2Z20-2062	.062	1.57	41%	18	1612-0062
2Z20-2065	.065	1.65	26%	18	1612-0065
2Z20-2075	.075	1.90	51%	18	1612-0075
2Z20-2079	.079	2.00	30%	18	1612-0079
<i>Above Screens mounted on 18 gauge, 18 hole backing frame</i>					

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z20-2193	0.93	2.36	33%	14	1611-0093
2Z20-2109	.109	2.74	45%	14	1611-0109
2Z20-2125	.125	3.18	40%	14	1611-0125
2Z20-2156	.156	3.96	46%	14	1611-0156
2Z20-2187	.187	4.76	51%	14	1611-0187
2Z20-2218	.218	5.54	45%	14	1611-0218
2Z20-2250	.250	6.35	48%	14	1611-0250
2Z20-2312	.312	7.92	47%	14	1611-0312
2Z20-2375	.375	9.52	51%	14	1611-0375
2Z20-2500	.500	12.70	47%	14	1611-0500
2Z20-2625	.625	15.88	47%	14	1611-0625
2Z20-2750	.750	19.05	51%	14	1611-0750
2Z20-2875	.875	22.23	62%	14	1611-0875
2Z20-2876	1.00	25.40	58%	14	1611-1000
<i>Above screens DO NOT have backing frames</i>					

# IPA MODEL M12X15 PERFORATED SCREEN LIST

\*FITZPATRICK EQUIVALENT DKASO12

## ROUND HOLE SCREENS

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z20-8012	.012	.30	8%	26	1544-9001
2Z20-8020	.020	.51	30%	28	1542-0020
2Z20-8024	.024	.61	24%	26	1542-0024
2Z20-8027	.027	.69	23%	26	1542-0027
2Z20-8033	.033	.84	29%	24	1542-0033
2Z20-8038	.038	.96	45%	26	1542-0038
2Z20-8040	.040	1.02	30%	22	1542-0040
2Z20-8050	.050	1.27	33%	22	1542-0050

*Above Screens mounted on 18 gauge, 18 hole backing frame*

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z20-8062	.062	1.57	41%	18	1541-0062
2Z20-8065	.065	1.65	26%	18	1541-0065
2Z20-8075	.075	1.90	51%	18	1541-0075
2Z20-8079	.079	2.00	30%	18	1541-0079
2Z20-8093	.093	2.36	33%	18	1541-0093
2Z20-8109	.109	2.74	45%	18	1541-0109
2Z20-8125	.125	3.18	40%	18	1541-0125
2Z20-8156	.156	3.96	46%	18	1541-0156
2Z20-8187	.187	4.76	51%	18	1541-0187
2Z20-8218	.218	5.54	45%	18	1541-0218
2Z20-8250	.250	6.35	48%	18	1541-0250
2Z20-8312	.312	7.92	47%	18	1541-0312
2Z20-8375	.375	9.52	51%	18	1541-0375
2Z20-8500	.500	12.70	47%	18	1541-0500
2Z20-8625	.625	15.88	47%	18	1541-0625
2Z20-8750	.750	19.05	51%	18	1541-0750
2Z20-8875	.875	22.23	62%	18	1541-0875
2Z20-8876	1.00	25.40	58%	18	1541-1000

*Above screens DO NOT have backing frames*

## SQUARE HOLE SCREENS

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z21-8200	.200	5.08	64%	18	1543-0200
2Z21-8250	.250	6.35	45%	18	1543-0250
2Z21-8312	.312	7.92	51%	18	1543-0312
2Z21-8375	.375	9.52	56%	18	1543-0375
2Z21-8437	.437	11.10	64%	18	1543-0437
2Z21-8500	.500	12.70	53%	18	1543-0500
2Z21-8625	.625	15.88	59%	18	1543-0625
2Z21-8687	.687	17.45	54%	18	1543-0687
2Z21-8750	.750	19.05	57%	18	1543-0775
2Z21-8875	.875	22.23	60%	18	1543-0875
2Z21-8876	1.000	25.40	64%	18	1543-1000

*Above screens DO NOT have backing frames*

# IPA MODEL M12X18 PERFORATED SCREEN LIST

\*FITZPATRICK EQUIVALENT FASO12

## ROUND HOLE SCREENS

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z20-4020	.020	.51	30%	28	1622-0020
2Z20-4024	.024	.61	24%	26	1622-0024
2Z20-4027	.027	.69	23%	26	1622-0027
2Z20-4033	.033	.84	29%	24	1622-0033
2Z20-4038	.038	.96	45%	26	1622-0038
2Z20-4040	.040	1.02	30%	22	1622-0040
2Z20-4050	.050	1.27	33%	22	1622-0050
2Z20-4062	.062	1.57	41%	18	1622-0062
2Z20-4065	.065	1.65	26%	18	1622-0065
2Z20-4075	.075	1.90	51%	18	1622-0075
2Z20-4079	.079	2.00	30%	18	1622-0079
<i>Above Screens mounted on 18 gauge, 18 hole backing frame</i>					

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z20-4093	.093	2.36	33%	14	1621-0093
2Z20-4109	.109	2.74	45%	14	1621-0109
2Z20-4125	.125	3.18	40%	14	1621-0125
2Z20-4156	.156	3.96	46%	14	1621-0156
2Z20-4187	.187	4.76	51%	14	1621-0187
2Z20-4218	.218	5.54	45%	14	1621-0218
2Z20-4250	.250	6.35	48%	14	1621-0250
2Z20-4312	.312	7.92	47%	14	1621-0312
2Z20-4375	.375	9.52	51%	14	1621-0375
2Z20-4500	.500	12.70	47%	14	1621-0500
2Z20-4625	.625	15.88	47%	14	1621-0625
2Z20-4750	.750	19.05	51%	14	1621-0750
2Z20-4875	.875	22.23	62%	14	1621-0875
2Z20-4876	1.00	25.40	58%	14	1621-1000
<i>Above screens DO NOT have backing frames</i>					

## SQUARE HOLE SCREENS

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z21-4250	.250	6.35	45%	14	1623-0250
2Z21-4312	.312	7.92	51%	14	1623-0312
2Z21-4375	.375	9.52	56%	14	1623-0375
2Z21-4437	.437	11.10	64%	14	1623-0437
2Z21-4500	.500	12.70	53%	14	1623-0500
2Z21-4625	.625	15.88	59%	14	1623-0625
2Z21-4687	.687	17.45	54%	14	1623-0687
2Z21-4750	.750	19.05	57%	14	1623-0775
2Z21-4875	.875	22.23	60%	14	1623-0875
2Z21-4876	1.000	25.40	64%	14	1623-1000
<i>Above screens DO NOT have backing frames</i>					

# IPA MODEL M20X18 PERFORATED SCREEN LIST

\*FITZPATRICK EQUIVALENT FASO20

## ROUND HOLE SCREENS

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z20-0020	.020	.51	30%	28	1642-0020
2Z20-0024	.024	.61	24%	26	1642-0024
2Z20-0027	.027	.69	23%	26	1642-0027
2Z20-0033	.033	.84	29%	24	1642-0033
2Z20-0038	.038	.96	45%	26	1642-0038
2Z20-0040	.040	1.02	30%	22	1642-0040
2Z20-0050	.050	1.27	33%	22	1642-0050
2Z20-0062	.062	1.57	41%	18	1642-0062
2Z20-0065	.065	1.65	26%	18	1642-0065
2Z20-0075	.075	1.90	51%	18	1642-0075
2Z20-0079	.079	2.00	30%	18	1642-0079
<i>Above Screens mounted on 18 gauge, 18 hole backing frame</i>					

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z20-0093	.093	2.36	33%	14	1641-0093
2Z20-0109	.109	2.74	45%	14	1641-0109
2Z20-0125	.125	3.18	40%	14	1641-0125
2Z20-0156	.156	3.96	46%	14	1641-0156
2Z20-0187	.187	4.76	51%	14	1641-0187
2Z20-0218	.218	5.54	45%	14	1641-0218
2Z20-0250	.250	6.35	48%	14	1641-0250
2Z20-0312	.312	7.92	47%	14	1641-0312
2Z20-0375	.375	9.52	51%	14	1641-0375
2Z20-0500	.500	12.70	47%	14	1641-0500
2Z20-0625	.625	15.88	47%	14	1641-0625
2Z20-0750	.750	19.05	51%	14	1641-0750
2Z20-0875	.875	22.23	62%	14	1641-0875
2Z20-0876	1.00	25.40	58%	14	1641-1000
<i>Above screens DO NOT have backing frames</i>					

## SQUARE HOLE SCREENS

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z21-0250	.250	6.35	45%	14	1643-0250
2Z21-0312	.312	7.92	51%	14	1643-0312
2Z21-0375	.375	9.52	56%	14	1643-0375
2Z21-0437	.437	11.10	64%	14	1643-0437
2Z21-0500	.500	12.70	53%	14	1643-0500
2Z21-0625	.625	15.88	59%	14	1643-0625
2Z21-0687	.687	17.45	54%	14	1643-0687
2Z21-0750	.750	19.05	57%	14	1643-0775
2Z21-0875	.875	22.23	60%	14	1643-0875
2Z21-0876	1.000	25.40	64%	14	1643-1000
2Z21-0877	1.125	28.58	67%	14	1643-1125
2Z21-0878	1.500	38.10	62%	14	1643-1500
<i>Above screens DO NOT have backing frames</i>					

# IPA MODEL M30X28 PERFORATED SCREEN LIST

\*FITZPATRICK EQUIVALENT HASO30

## ROUND HOLE SCREENS

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z23-0020	.020	.51	30%	28	1652-0020
2Z23-0024	.024	.61	24%	26	1652-0024
2Z23-0027	.027	.69	23%	26	1652-0027
2Z23-0033	.033	.84	29%	24	1652-0033
2Z23-0038	.038	.96	45%	26	1652-0038
2Z23-0040	.040	1.02	30%	22	1652-0040
2Z23-0050	.050	1.27	33%	22	1652-0050
2Z23-0062	.062	1.57	41%	18	1652-0062
2Z23-0065	.065	1.65	26%	18	1652-0065
2Z23-0075	.075	1.90	51%	18	1652-0075
2Z23-0079	.079	2.00	30%	18	1652-0079
<i>Above Screens mounted on 18 gauge, 18 hole backing frame</i>					

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z23-0093	.093	2.36	33%	14	1650-0093
2Z23-0109	.109	2.74	45%	14	1650-0109
2Z23-0125	.125	3.18	40%	14	1650-0125
2Z23-0156	.156	3.96	46%	11	1651-0156
2Z23-0187	.187	4.76	51%	11	1651-0187
2Z23-0218	.218	5.54	45%	11	1651-0218
2Z23-0250	.250	6.35	48%	11	1651-0250
2Z23-0312	.312	7.92	47%	11	1651-0312
2Z23-0375	.375	9.52	51%	11	1651-0375
2Z23-0500	.500	12.70	47%	11	1651-0500
2Z23-0625	.625	15.88	47%	11	1651-0625
2Z23-0750	.750	19.05	51%	11	1651-0750
2Z23-0875	.875	22.23	62%	11	1651-0875
2Z23-0876	1.00	25.40	58%	11	1651-1000
<i>Above screens DO NOT have backing frames</i>					

## SQUARE HOLE SCREENS

Part Number	Hole Size Inches	Hole Size mm	Open Area%	Gauge	Fitz Ref Number
2Z23-2250	.250	6.35	45%	11	1653-0250
2Z23-2312	.312	7.92	51%	11	1653-0312
2Z23-2375	.375	9.52	56%	11	1653-0375
2Z23-2437	.437	11.10	64%	11	1653-0437
2Z23-2500	.500	12.70	53%	11	1653-0500
2Z23-2625	.625	15.88	59%	11	1653-0625
2Z23-2687	.687	17.45	54%	11	1653-0687
2Z23-2750	.750	19.05	57%	11	1653-0775
2Z23-2875	.875	22.23	60%	11	1653-0875
2Z23-2876	1.000	25.40	64%	11	1653-1000
2Z23-2877	1.125	28.58	67%	11	1653-1125
2Z23-2878	1.500	38.10	62%	11	1653-1500
<i>Above screens DO NOT have backing frames</i>					